Quality Control

|             |  |              |          |            |     |  |                           |          |  |                   |  | DQA:  | Date:                     |                    |  |  |
|-------------|--|--------------|----------|------------|-----|--|---------------------------|----------|--|-------------------|--|---|---------------------------|--------------------|--|--|
| NCR: Y      | es   | / No         |          |            |     |  | WORK ORDER NON-C          | O        | VFOR   | MANCE / UPI       | DATE   |   | ,                         | 7.                 |  |  |
|             |  |              |          |            |     |  |                           |          |  | 0                 |  | QA Closed:                                    | Date:                     |                    |  |  |
| Vork Orde   | Vork Order:  |              |          |            |     |  |                           |          | AGAINST DEPARTMENT/PROCESS   |                   |  |   |                           |                    |  |  |
| Part No     |  |              |          |            |     | Rework Scrap Use-as-is Work Order Update |                           |          | Skid-tube Crosstube  Machining Small Fab  Thermoforming Finishing  Large Fab Composite |                   |  | Water Jet d. Eng. Coor. re/Packaging Supplier | Engineering Quality Other |                    |  |  |
|             | -  |              |          |            |     |  |                           | 1        |  |                   |  | ı   |                           | ·                  |  |  |
| Root        |  |              |          |            | Des | crip                                     | tion of work order update | 1        | nitial   | Act               | ion  | Sign &  |                           |                    |  |  |
| Cause       |  | Date         | Step     | Qty        |     | O  | r Non-conformance         | Ch       | ief Eng  | Descr             | iption   | Date  | Verification              | QC Inspector       |  |  |
| oc/Data     |  |              |          |            |     |  |                           |          |  |                   |  |   |                           |                    |  |  |
| uip/Tooling |  |              |          |            |     |  |                           |          |  |                   |  |   |                           |                    |  |  |
| perator     |  | j            |          |            |     |  |                           |          | . 1.5  | •                 |  |   |                           |                    |  |  |
| aterial     |  |              |          |            |     |  |                           |          |  |                   |  |   |                           |                    |  |  |
| tup         |  |              |          |            |     |  |                           |          |  |                   |  |   | +                         |                    |  |  |
| ther        |  |              |          |            |     |  |                           |          |  | i                 |  |   |                           |                    |  |  |
| rocess      |  |              |          |            |     |  |                           |          |  | •                 |  |   |                           |                    |  |  |
| upplier     |  |              |          |            |     |  |                           |          |  | i<br>I            |  |   |                           |                    |  |  |
| raining     |  |              | •        |            |     |  |                           |          |  |                   |  |   |                           |                    |  |  |
| napproved   | ヿ  |              |          |            |     |  |                           |          |  | r)                |  |   |                           | , i                |  |  |
| <u>_</u>    |  | <del>-</del> |          |            |     |  | F                         | AUL      | T CATE   | GORY              |  |   | •                         |                    |  |  |
| Landin      | ıg G   | ear          |          |            |     |  | General                   |          |  |                   |  | ***************************************       |                           |                    |  |  |
| ſ           |  | Bending      |          |            | ſ   |  | Bend                      |          | Grain  | 1                 |  | Ovalized                                      |                           | Pressure/Forced    |  |  |
|             | 7  | Centre No    | t Concer | ntric to ( | o/s |  | BOM/Route                 |          | Hardwa   | re                |  | Over/Under                                    | tolerance                 | Temperature/Cure   |  |  |
| ľ           | ٦  | Cracks       |          |            |     |  | Broken/Damaged            | П        | Inspect  | or Incomplete     |  | Part Incorred                                 | ct                        | Weld               |  |  |
| ľ           | $\exists$  | Crushed/C    | Crimped. |            | \   |  | Burrs                     |          | 1  | ions Incomplete/l | Jnclear -  | Part Lost/Mi                                  | issing                    | Wrong Stock Pulled |  |  |
| f           | _  | Cuffs        | •        |            | •   |  | Contamination             | П        | Mainte   |                   | <u> </u>   | Part Moved                                    | <u> </u>                  |                    |  |  |
| ľ           |  | Heat Treat   | t ·      |            | ŀ   |  | Countersink               |          | Mislabe  | 1                 | <del>                                     </del> | Positioned V                                  | Vrong                     |                    |  |  |
| F           | _  | nspection    |          | Tube       | Ì   |  | Cut Too Short             |          | Misread  |                   | <del> </del>                                     | Power Loss/                                   |                           | Other              |  |  |
| -           | _  | Ripples in   |          |            | ŀ   |  | Drill Holes               | $\vdash$ | Offset   |                   | L  | J. 3.1.5. 2333/                               |                           | 1                  |  |  |
| ŀ           | Torque Waves in Extrusion Drawing Out of Calibration |              |          |            |     |  |                           |          |  |                   |  |   |                           |                    |  |  |
| <b> </b>    | _  | Turning Se   |          | 35101      |     |  | Finish                    |          |  | Sequence          |  |   |                           |                    |  |  |
| 1           |  |              | 1        |            | i   |  | · · · · · · · · · ·       |          | ,  |                   |  |   |                           |                    |  |  |

Outside Dimensions

Wave/Twist in Tube

Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

October-24-12 7:51:55 AM

Packaging

Packaging

| Item ID:<br>Revision ID:<br>Item Name:                | 647.2511<br>Nut             |  |                      | Accept   | *N900       | 004010             | A* Setul | p Start<br>Stop | *NS1* *NS2*                  |         |
|---|-----------------------------|--|----------------------|--|-------------|--------------------|----------|-----------------|------------------------------|---------|
| Start Date:<br>Required Date<br>Reference:            | 23/10/2012<br>e: 06/11/2012 | Start Qty: 24.00<br>Req'd Qty: 24.00                           | *24<br>*24           |  | Cust Item : | ID:                |          | ·               |                              |         |
| Approvals:  | Process Pl                  | •                        | Date:                |  |             | ate:               | Run      | Start<br>Stop   | *NR1*<br>*NR2*               |         |
| Sequence ID/ Work Center 140 *140* QC Quality Control | ID                          | Operation Description QC8- Inspect parts - seco Memo 100% CHEC |                      | Set Up/<br>Run Hours<br>0.00<br>0.00<br>NSIONS AND THREAD FI | Tool ID     | Tool# Plan<br>Code | Qty Q    | ty              | Reject Insp.<br>Number Stamp |         |
| *150<br>*150*<br>Purchasing<br>Purchasing             |                             |  | er MIL-S-5002 TYPE ( |  |             |                    | CX       | l<br>13/        | (02/04 BZ                    | )       |
| *160  |                             | Receive & Inspect for Da                                       | mage & Mat'l Certs   | 0.00   |             |                    | /        | 16              | 1<br>[3]2]14 (               | /<br>30 |

0.00

Memo

Ensure certificate of conformity is attached

| NCR:   | NCR: Yes / No WORK ORDER NON-CONFORMANCE / UPDATE |   |      |  |   |  |  |                            |  |   |            |                           |              |  |  |
|--|---|---|------|--|---|--|--|----------------------------|--|---|------------|---------------------------|--------------|--|--|
|  |   |   |      |  |   |  |  |                            | _  |   | QA Closed: | Date                      | :            |  |  |
| Work Orde  | er:   |   |      |  |   | DISPOSITION                              |  | AGAINST DEPARTMENT/PROCESS |  |   |            |                           |              |  |  |
| Part No.  NCR No.  |   |   |      |  |   | Rework Scrap Use-as-is Work Order Update | Skid-tube Crosstube  Machining Small Fab  Thermoforming Finishing  Large Fab Composite |                            | Small Fab  | Water Jet Prod. Eng. Coor. Rec/Store/Packaging Supplier |            | Engineering Quality Other |              |  |  |
| Root   |   |   |      |  | Descri  | ption of work order update               | Π  | Initial                    | Act  | tion  | Sign &     |                           |              |  |  |
| Cause  |   | Date  | Step | Qty  | (   | or Non-conformance                       | Ch   | nief Eng                   | Desci  | ription   | Date       | Verification              | QC Inspector |  |  |
| Doc/Data Equip/Tooling Operator Material Setup Other Process Supplier Training Unapproved  |   |   |      |  |   |  |  |                            |  |   |            |                           |              |  |  |
|  |   |   |      | •  | -   | · · · · · · · · · · · · · · · · · · ·    | AUL  | T CATE                     | <u> SORY</u>   |   |            |                           |              |  |  |
| Bending Centre Not Concentric to O/S Cracks Crushed/Crimped. Cuffs Heat Treat Inspection Strip in Tube Ripples in Bend Torque Wayes in Extrusion |   | General Bend BOM/Route Broken/Damaged Burrs Contamination Countersink Cut Too Short Drill Holes |      | Instruct<br>Mainte<br>Mislabe<br>Misread<br>Offset | on Incomplete<br>ions Incomplete/<br>enance<br>eled | Unclear                                  | Ovalized Over/Under Part Incorre Part Lost/M Part Moved Positioned N                   | ct<br>issing<br>Wrong      | Pressure/Forced Temperature/Cure Weld Wrong Stock Pulled Other |   |            |                           |              |  |  |
|  | Torque Waves in Extrusion Drawing                 |   |      | Drawing  |   | Out of 0                                 | Calibration  |                            |  |   |            |                           |              |  |  |

Out of Sequence

Outside Dimensions

DQA:

Date:

Turning Sequence

Wave/Twist in Tube

Finish

Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

October-24-12 7:51:55 AM

Page 3

Item ID: 647.2511 Accept \*N900040100\* Setup Start **Revision ID:** Item Name: Nut **Start Date:** 23/10/2012 **Start Qty: 24.00** Cust Item ID: **Required Date:** 06/11/2012 Req'd Qty: 24.00 **Customer:** Reference: Run **Approvals: Process Plan:** Date: Tooling: Date: Stop QC: Date: SPC (Y/N): Date: Sequence ID/ Operation Tool ID Tool # Plan Set Up/ Reject Accept Reject Insp. Work Center ID Description Qty Run Hours Code Qty Number Stamp 170 QC5- Inspect part completeness to step on W/O \*170\* QC Memo Quality Control Identify as per dwg & Stock Location 180 \*120\* Packaging 0.00 Memo Packaging 190 QC21- Final Inspection - Work Order Release 0.00 \*100\* my (3-2-14) QC 0.00 Memo Quality Control

|                                |                          |           |   |   |               |   |   |          |                           |            | DQA:         | Date:         |                    |  |
|--------------------------------|--------------------------|-----------|---|---|---------------|---|---|----------|---------------------------|------------|--------------|---------------|--------------------|--|
| NCR:                           | Yes                      | / No      |   |   |               | <b>WORK ORDER NON-</b>                  | WORK ORDER NON-CONFORMANCE / UPDATE                     |          |                           |            |              |               |                    |  |
|                                |                          |           |   |   |               |   |   |          |                           |            | QA Closed:   | Date:         |                    |  |
| Work Ord                       | er.                      |           |   |   | 1             | DISPOSITION                             | DISPOSITION   |          |                           | AGAINST D  | EPARTMENT,   | /PROCESS      |                    |  |
| Work Order:  Part No.  NCR No. |                          |           | Rework<br>Scrap<br>Use-as-is<br>Work Order Update | Scrap Machining Small Fa Use-as-is Thermoforming Finishir |               | Crosstube Small Fab Finishing Composite | Water Jet Prod. Eng. Coor. Rec/Store/Packaging Supplier |          | Engineering Quality Other |            |              |               |                    |  |
| Root                           |                          |           | Ī   | I   | Descri        | tion of work order update               |   | Initial  | Α.                        | ction      | Sign &       |               | 1                  |  |
| Cause                          |                          | Date      | Step  | Qty   |               | or Non-conformance                      | i   | nief Eng |                           | cription   | Date         | Verification  | QC Inspector       |  |
| Doc/Data                       | П                        |           |   |   |               | 1 (M)                                   | 1   |          |                           |            |              |               |                    |  |
| Equip/Tooling                  | П                        |           |   |   |               |   |   |          |                           |            |              |               |                    |  |
| Operator                       | П                        |           |   |   |               |   |   |          |                           |            |              |               |                    |  |
| Material                       | П                        |           | Ì   |   |               |   |   |          |                           |            |              |               |                    |  |
| Setup                          |                          |           |   |   |               |   |   | •        |                           |            |              |               |                    |  |
| Other                          |                          |           |   |   |               |   |   |          |                           | 6          |              |               |                    |  |
| Process                        |                          |           |   |   |               |   |   |          |                           |            |              |               |                    |  |
| Supplier                       |                          |           |   |   |               |   |   |          |                           |            |              |               |                    |  |
| Training                       |                          |           |   | į.  |               |   |   |          | ı                         |            |              |               |                    |  |
| Unapproved                     |                          |           |   |   |               |   |   |          |                           |            | ļ            |               |                    |  |
|                                |                          |           |   |   |               |   | FAUL  | LT CATE  | GORY                      |            |              |               |                    |  |
| Landi                          | ing (                    | Gear      |   |   |               | General                                 |   | _        |                           |            |              |               | _                  |  |
|                                |                          | Bending   |   |   |               | Bend                                    |   | Grain    |                           |            | Ovalized     |               | Pressure/Forced    |  |
|                                |                          | Centre No | ot Concer   | ntric to  | o/s           | BOM/Route                               |   | Hardwa   | re <sup>:</sup>           |            | Over/Under   | tolerance     | Temperature/Cure   |  |
|                                |                          | Cracks    |   |   |               | Broken/Damaged                          | $\cdot \square$   | Inspecti | on Incomplete             |            | Part Incorre | ct            | Weld               |  |
|                                |                          | Crushed/  | Crimped.  |   |               | Burrs                                   |   | Instruct | ioris Incomplete          | /Unclear   | Part Lost/M  | issing        | Wrong Stock Pulled |  |
|                                |                          | Cuffs     |   |   |               | Contamination                           |   | Mainte   | enance                    | Γ          | Part Moved   |               | _                  |  |
|                                | Heat Treat               |           |   |   |               | Countersink                             |   | Mislabe  | led                       |            | Positioned \ | <b>V</b> rong |                    |  |
|                                | Inspection Strip in Tube |           |   |   | Cut Too Short |   | Misread   |          |                           | Power Loss | /Surge       | Other         |                    |  |

Offset

Out of Calibration

Out of Sequence

Outside Dimensions

Turning Sequence

Wave/Twist in Tube

Ripples in Bend

Torque Waves in Extrusion

Drill Holes

Drawing

Finish Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

## **Picklist Print**

October-24-12 7:51:58 AM

Parent Item Name: Nut

Work Order ID: 92235 Parent Item:

647.2511

\*92235\*

\*647 2511\*

**Start Date:** 23/10/2012

**Required Date:** 06/11/2012

**Start Qty: 24.00** 

Required Qty: 24.00

Comments:

IPP REV:A NEW ISSUE 12-10-22 JLM VERIFIED BY:DD

Component Item ID/ Item Name

Item ID

Replacement Mfg/ Purch

Bin Primary Item Location

Last Location Route Seq ID Unit of Measure Hand

Qty on Qty per Kit

\*\*

Total

Qty Issued Date Issued

Status

M174PH-H1150R1.000

Purchased

No

f

0.0000

1.263158

17-4 SS H1150 ROUND BAR 1.000

17-452 PH-4900 R 1.00

|   |          |            |          |               |                  |                            |          |                   |                   |           | DQA:                        | Date:         |                    |
|---|----------|------------|----------|---------------|------------------|----------------------------|----------|-------------------|-------------------|-----------|-----------------------------|---------------|--------------------|
| NCR:  | ⁄es      | / No       |          |               |                  | WORK ORDER NON-O           | CON      | NFORM             | MANCE / UPI       | DATE      | •                           |               | • •                |
|   |          |            |          |               |                  |                            |          |                   |                   |           | QA Closed:                  | Date:         |                    |
| Nork Order: DISPOSITI   |          |            |          |               |                  |                            |          |                   |                   |           |                             |               |                    |
| WOLK OLG  | 21.      |            |          | <del></del> - |                  | Rework                     | 7        |                   | Skid-tube         | Crosstube | 1                           | Water Jet     | Engineering        |
| Part N  | No.      |            |          |               |                  | Scrap                      | 1        |                   | Machining         | Small Fab | Prod                        | d. Eng. Coor. | Quality            |
|   | •        |            |          |               |                  | Use-as-is                  | 1        |                   | noforming         | Finishing | -1                          | e/Packaging   | Other              |
| NCR 1   | No.      |            |          |               |                  | Work Order Update          |          |                   | Large Fab         | Composite |                             | Supplier      |                    |
|   |          |            |          | T             | ····-            |                            |          |                   |                   |           | 1 0: 0 1                    |               |                    |
| Root  |          | 0-1-       | C1       | <u> </u>      |                  | ption of work order update | 1        | nitial            | Act               |           | Sign &                      | Manification  | OC Increases       |
| Cause   |          | Date       | Step     | Qty           | •                | or Non-conformance         | Ch       | ief Eng           | Descr             | ription   | Date                        | Verification  | QC Inspector       |
| oc/Data<br>quip/Tooling   | $\dashv$ |            |          |               |                  |                            |          |                   |                   |           |                             |               |                    |
| perator   | $\dashv$ |            |          |               |                  |                            |          |                   | :                 |           |                             |               | ·                  |
| Material  |          |            |          |               |                  |                            |          |                   |                   |           |                             |               | ·                  |
| etup  |          |            |          |               | į                |                            |          |                   |                   |           |                             |               |                    |
| ther  |          |            |          |               |                  |                            |          |                   |                   |           |                             |               |                    |
| rocess  |          |            |          |               |                  |                            |          |                   |                   |           |                             |               |                    |
| upplier   |          |            |          |               |                  |                            |          |                   |                   |           |                             | in            |                    |
| raining   |          | 1          |          |               |                  |                            |          |                   |                   |           |                             |               |                    |
| Inapproved  |          |            |          |               |                  |                            |          |                   |                   |           |                             |               |                    |
|   |          |            |          |               |                  | F                          | AUL      | T CATE            | GCRY              |           |                             |               |                    |
| Landi   |          | 1          |          |               | <del></del>      | General                    |          | 1                 |                   |           | 7                           |               | <b>.</b> .         |
|   | ь        | Bending    |          |               |                  | Bend                       | <u> </u> | Grain             |                   | <u> </u>  | Ovalized                    |               | Pressure/Forced    |
|   | $\vdash$ | Centre No  | t Concer | ntric to      | o/s              | BOM/Route                  | $\vdash$ | Hardwa            |                   | _         | Over/Under                  | <u> </u>      | Temperature/Cure   |
| ļ   |          | Cracks     | <b>.</b> |               | -                | Broken/Damaged             | -        | 1                 | ion Incomplete    |           | Part Incorred               | <u> </u>      | Weld               |
|   |          | Crushed/C  | _rimped. |               | _                | Burrs                      | -        | 4                 | iors Incomplete/U | Unclear   | Part Lost/Mi                | ssing         | Wrong Stock Pulled |
| ļ   | Н        | Cuffs      |          |               |                  | Contamination Countersink  | -        | Mainte<br>Mislabe |                   | <u> </u>  | Part Moved                  | Vrana         |                    |
|   | Н        | Heat Treat |          | Tubo          | -                | Cut Too Short              | $\vdash$ | Misread           |                   | <b> </b>  | Positioned V<br>Power Loss/ |               | Other              |
|   |          | Ripples in |          | iuse          |                  | Drill Holes                | $\vdash$ | Offset            | ı                 |           | Trower ross/                | Juige         | Tottlei            |
|   | $\vdash$ | Torque W   |          | vtrucia       | <u>,</u>         | Drawing                    | -        | 1                 | Calibration       |           | <del> </del>                |               |                    |
|   | $\vdash$ | · ·        |          |               | '' <del> -</del> | ⊣                          | <b> </b> | 1                 |                   |           |                             |               |                    |
| Turning Sequence Finish Out of Sequence Wave/Twist in Tube Folio Outside Dimensions |          |            |          |               |                  |                            |          |                   |                   |           |                             |               |                    |

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

| DART AEROSPACE LTD                | Work Order: 7223      |
|-----------------------------------|-----------------------|
| Description: Skid Steeve (Nut)    | Part Number: 647,2511 |
| Inspection Dwg: (47.2500 Rev: N/C | Page 1 of 1           |


## FIRST ARTICLE INSPECTION CHECKLIST


| Drawing<br>Dimension | Tolerance    | Actual<br>Dimension | Accept | Reject | Method of Inspection | Comments |
|----------------------|--------------|---------------------|--------|--------|----------------------|----------|
| 0.875                | \$10.°       | 8745                |        |        | 51-4                 | VSS      |
| V.53 x90°            | =.030/=,50   | ,50x 90°            | 1      |        |                      |          |
|                      |              |                     |        |        |                      |          |
| .66                  | =,030        | .657                |        |        |                      |          |
| .13                  | 620,=        | -130                |        |        | 7                    | M        |
| 0.580                | +.000 /- 002 | 0,579               |        |        | 24-2                 | Mic      |
| .59                  | ±.030        | .580                |        |        |                      |          |
| / 1/11               | X( / A       |                     | /      |        |                      |          |
| 150 MILXO,75         | TN/A         |                     |        |        |                      |          |
|                      |              |                     |        |        |                      |          |
|                      | *            |                     |        |        |                      |          |
|                      |              |                     |        |        |                      |          |
|                      |              |                     |        |        |                      |          |
|                      |              |                     |        | -      |                      |          |
|                      |              |                     |        |        |                      |          |
|                      |              |                     |        |        |                      |          |
|                      |              |                     |        |        |                      |          |
|                      |              |                     |        |        |                      |          |
|                      |              |                     |        |        |                      |          |
|                      |              |                     |        |        |                      |          |
|                      |              |                     |        |        |                      |          |
|                      |              |                     |        |        | <u> </u>             |          |


| Measured by: | ************************************** | Audited by: | 20    | Preliminary Approval: |  |
|--------------|--|-------------|-------|-----------------------|--|
| Date: /      | 12501/2                                | Date:       | 3.1.8 | Date:                 |  |

| Rev | Date     | Change Revised by          | Approved |
|-----|----------|----------------------------|----------|
|     |          | 1/1                        |          |
| 1 E | 10.04.14 | Added preliminary approval |          |

\$ 10.04.15









A.T.G. Industries Inc. 731, rue Industrielle Rd. PLATING DEPARTMENT Rockland, On K4K 1T2 Canada

Ph: (613) 446-4544 Fax: (613) 446-4556

## Pack List

Number: 62213

Date: 13-Feb-13

1

Ship To

DART AEROSPACE LTD 1270 ABERDEEN ST. HAWKESBURY, ON K6A 1K7

Canada

То

DART AEROSPACE LTD 1270 ABERDEEN ST. HAWKESBURY, ON K6A 1K7 Canada

<sup>2</sup>h: 613-632-5**200** 

Fax: 613-632-1185

Ph: 613-632-5200

Fax: 613-632-1185

| PII. 013-032-3 | 200 Fax: 613-632-1185                      | rn:                         | 013-032-5200      | rax: 013-032-1105 |
|----------------|--|-----------------------------|-------------------|-------------------|
| Terms          |  | Ship Via                    |                   |                   |
|                |  |                             |                   |                   |
| Quantity       | Description                                |                             |                   |                   |
| 1              | Part: ASST                                 |                             | Rev:              |                   |
| lot            |  |                             |                   |                   |
|                | 5 PCS D3299-1<br>12 PCS D3299-5            |                             |                   |                   |
| ,              | 8 PCS D3299-7                              |                             |                   |                   |
|                | 16 PCS 647.1710                            |                             |                   |                   |
|                | 4 PCS 647.1711<br>5 PCS 647.1913           |                             |                   |                   |
|                | 10 PCS 647.1913                            |                             |                   |                   |
|                | 9 PCS 647.1915                             |                             |                   |                   |
|                | 12 PCS 646.3610<br>HARD ANODIZE BLACK      |                             |                   |                   |
|                | MIL-A-8625 TYPE III CLASS 2                |                             |                   |                   |
|                | 32 PCS 647.2511 30                         |                             |                   |                   |
|                | PASSIVATE PER QQ-P-35                      |                             |                   |                   |
|                | Job: 20130091                              | PO: PO19017                 | Line:             |                   |
|                | Certificate of Con                         | formance                    |                   |                   |
|                | A.T.G. Industries certifies that all items | in this shipment are in cor | formance          |                   |
|                | with all requirements, specifications and  | I drawings referenced in th | e purchase order. |                   |
|                | ISO 9001 : 2008 REC                        | SISTERED                    |                   |                   |
|                | ATG SALES-2010 TE                          |                             |                   |                   |
|                | DATE: 13/2//3                              |                             |                   |                   |
|                | 11/1                                       |                             |                   |                   |
|                | CERTIFIED SIGNATURE :                      |                             |                   |                   |
|                |  |                             | ·                 |                   |
|                | RECEIVER SIGNATURE :                       |                             |                   |                   |
|                |  |                             |                   |                   |
|                |  |                             |                   |                   |
|                |  |                             |                   |                   |
|                |  |                             |                   |                   |
|                |  |                             |                   |                   |
|                |  |                             |                   |                   |